MILITARY SPECIFICATION SHEET

PIN, QUICK-RELEASE, DETENT

The complete requirements for procuring the pins described herein shall consist of this document and the latest issue of specification MTL-P-45952.

This specification is approved for use by all Departments and Agencies of the Department of Defense.




TABLE I

DASE	I NO.	NOM	A DIA	В	С	E DIA	J DIA	DOUBLE S	
ALLOY STEEL	CRES	DIA	+.000 003	MIN	000°°°	1.015	+.000	ALLOY STEEL	CRES
ե 6 8 10	C10 C8 C10	1/1; 3/8 1/2 5/8	.248 .373 .498 .623	.280 .430 .570 .720	.344 .390 .516 .672	.375 .500 .625 .750	1.187 1.187 1.187 1.687	8,500 19,600 34,900 54,900	4,500 10,300 18,400 28,900
12 14 16	C12 C14 C16	3/4 7/8 1	.748 .873 .998	.860 1.030 1.160	.750 .859 .984	.875 1.000 1.125	1.687 2.187 2.187	79,300 108,000 141,500	41,800 57,000 74,600

REQUIREMENTS:

- 1. Material Alloy steel and corrosion-resisting steel.
- ?. Finish Alloy and carbon steel parts shall be cadmium plated. Corrosion-resisting steel parts shall be passivated.
- 3. Dimensions All dimensions are in inches.
- 4. Part number consists of M45952/1, a dash number taken from Table I and a second dash number which specifies the grip length in tenths of an inch. Example: M45952/1-14-08; Alloy steel pin, 1/4 inch nazinal dismeter and a grip length of 0.8 inch.
- 5. Use for shear applications only.

TABLE II

NOM DIA	RECOMMI HOLE DIA		INSERTION FORCE	
Dir	MAX	MIIN	MAX	MIN
1/4	.254	.250	7	2
3/8	•379	.375	14	6
1/2	•505	.500	22	10
5/8	•630	.625	30	15
3/4	.757	.750	30	15
7/8	.882	.875	35	20
1	1.010	1.000	40	20

Custodians:

Army - WC

Navy - OS

Air Force - 11

Preparing Activity:

Army - WC

Project No. 5340-0952

Reviewer Activities:

Army - AT, AV, GL, MU Navy - None

Air Force - 82

DSA - IS

User Activities:

Army - ME Navy - MC, SH

Air Force - None

	25ECILICATIO	ON ANALYSIS SH	EEI	- 1	Form Approved Budget Bureau	
use of the spens o	S. This sheet is to be cification in procuremy obtaining information divide a minimum amounted. Fold in lines of its submitted on this fumentist or serve to a	ent of products for n on the use of this bunt of delay and a n reverse side sta- form de not constit	ultimate use by supercification to the reast cost ple in corner aroute or in ply autometed.	the Departm which will in Comments ad send to pr	ent of Defense isure that suital and the return reparris activity	This she ble product of this for y Comme
SPECIFICATION	•					
ORG ANIZATION	,					
CITY AND STA	T E		CONTRACT VID	V1 E 44		
	CURED UNDER A	ACT 5.EC	CHTRACT			
MENT USE?	RT OF THE SPECIFICATION OF THE		OBLEMS OR REC	DINED INTE	RFRETATION IN	N PROCURE
B RECOMM	ENDATIONS FOR CORR	ECTING THE (FIC	TENCIES			
2 COMMENTS	ON ANY SPELIFICATIO	N REQUIREMENT CO	ON ITERES TOO	RISIC		
2 COMMENTS (ON ANY SPECIFICATIO	N REQUIRENENT CO	ON ITERESTOO	RISIC		
			ON ITERES TOO	RIGIC		
	IFICATION RESTRICT!		ON ITERES TOO	RIGIC		
	IFIC ATION RESTRICT!	ve'	SN ITERES YOU	RIGIC		
3 IS THE SPEC	IFIC ATION RESTRICT!	VE ¹ hat way ²) which may be of use f	n improvine this a	Southly a say	li there are Addi	Dicrat bape
3 IS THE SPEC	IFIC ATION RESTRICT! NO II "ses" in w	VE' hat way') which may be of use fixely addressed to p	n improving this s reparing activity)	spectlic s iai	Il there are addr	ticnal tape

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300



POSTAGE AND FEES PAID DEPARTMENT OF THE ARMY

Commander
Rock Island Arsenal
Weapons Laboratory
ATTN: SWERR-E-SC

Rock Island, Illinois 61201

FOLD

To detach this form, cut along this line.

Preparing activity:

Army - AR

MILITARY SPECIFICATION

PIN, QUICK-RELEASE, DETENT

MIL-P-45952/1 has been reviewed and determined to be valid for use in acquisition.

Custodians:

Army - AR Navy - OS

Air Force - 11

Review activities:

Army - AT, AV, GL

Air Force - 99 DLA - IS

User activities:

Army - ME

Navy - MC

FSC 5340

AMSC N/A

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.